5480

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, "UNITED INDIA" BUILDING, BANGALORE.

Dated 30th August 1952.

To

All the Indent Officers,

Local Indent No. 11436.

Subject :—Resoling of Old Tyres.

Sir,

No. S.P.C. 22913-23012. Referring to the issue of a rate contract under Local Indent No. 11436, for resoling old tyres applicable to all Government Departments, I write to state as follows :—

It has been brought to the notice of this office that some of the departments possessing M. T. Vehicles auction or sell the old tyres to the public.

A rate contract is let out for getting the old tyres resoled as it is economical to use the old tyres after getting them resoled, instead of purchasing new tyres. Old tyres which are in your possession may be got resoled, before effecting the purchase of new tyres or auctioning them, unless they are found completely unserviceable.

Yours faithfully,

4639

Dated 9th September 1952

To

The Firms dealing in Wire Ropes.

Enquiry No. 11201.

Subject :—Spare Ropes required for the Sluice Gates of Vani Vilas Sagara.

Dear Sir/Gentlemen,

No. S.P.C.....Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Ropes to Vani Vilas Sagara" with the above enquiry number.

This enquiry will be closed on the 6th October 1952.

SCHEDULE.

Ropes :

1. Diameter or circumference :—
   (a) Thick Rope—1¼" Dia. 168' long—6 strands each—30 wires.
   (b) Thin Rope—5/8" Dia. 18'—4" long—6 strands—19 wires.
2. Galvanised Quality.
3. Breaking strain—40 tons for the thick wire and 12 tons for thin wire.
4. The Ropes are required to lift the sluice gates from a depth of 85', the sizes of the sluices being 5'—4" ×12'—9", weighing 12 tons.

Quantity required :—Thick rope—4 with ends binded to suit pins of 1-3/4" dia.

Thin Rope—8 with ends binded to suit pins one of 2" and one of 1½".

N.B.—1. The quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day of the due date.
4. No enhancement of price will be allowed after the acceptance of the tender.

4583b

Dated 10th September 1952.

To

The Firms dealing in Machinery.

Enquiry No. 11203.

Subject :—Materials required for working of Mortar Mill during the year 1952-53.

Gentlemen

No. S.P.C. 24856-75. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Materials required for working of Mortar Mills during the year 1952-53" with the above enquiry number.

This enquiry will be closed on the 8th October 1952.

SCHEDULE.

No.		Quantity.
I.	1. Slip-ring motor starter for 50 H.P. motor of the following specification A.C. Supply 400/440 Volts. 50 Cycles 3 Phase	1
	2. T.P.I.C. Switch 100 Amps with fuse	2
	3. D.P.I.C. Switch 10 Amps	4
	4. (a) V.L.R. Insulated cables size of wire 19/.064 ...	2 coils
	(b) Do .. .. 7/.029 ...	5 do
	5. Fuse wire 5·20 and 30 amps. 5 lbs. in each size.	
	6. Cord grip polished brass lamp holders ...	1 Gross
	7. Batten, polished brass lamp holders ...	2 Dozens
	8. 5 Amps. Porcelain base switches	2 do
	9. 15 Amps. ¾ pin porcelain base switch	2 do
	10. Forged copper cable sockets capacity 15, 30, 60 and 100 Amps	50 in each size.
1.	Turned and polished steel shafting 3" dia. 100' in standard lengths.	
2.	Flanged shaft couplings shrouded pattern size bore 3" key way cut with bolts and nuts ...	30 pairs
3.	Bright loose collars with steel set screw size of bore 3"	40 Nos.
4.	(a) W.I. Split pulley double arm with key ways Size Diar. 54" width 15" and bore 3"	4 Nos.
	(b) Do 12" width, 12" and bore 3" ...	24 do
	(c) Do 15" width, 12" and bore 3" ...	24 do
	(d) C.I. Pulley for Electric motor Diar. 12" width 14" (Bore Size will be given at the time of order)	6 do
5.	Plummer block with gunmetal bushes Bore 3" ...	30 do
6.	Adjustable swivel plummer block bore 3" ...	6 do
7.	Hex-Bolts and Nuts—Sizes 1"×9"	1 Cwt.
	1"×7"	1 do
	1"×4½"	1 do
	1"×3"	1 do
	1¼"×3"	1 do
	7/8"×2½"	3 do
	7/8"×3"	3 do
	7/8"×7"	1 do
	7/8"×5"	1 do
	5/8"×2½"	1 do
	5/8"×3½"	2 do
	3/4"×4½"	2 do
	3/4"×8"	1 do
	3/4"×5½"	1 do
	3/4"×3"	2 do
	1/2"×2½"	1 do
8.	Counter-sunk head bolts with nuts 5/8"×4" ...	2 do
9.	Loose nuts—Size ¾"	2 do
	5/8"	1 do
	7/8"	1 do
10.	M.S. Washers size 7/8", 3/4", 5/8" and 1/2".	1 do in each size.
11.	Jacksons Patent Bolt Fasteners—Size 1-3/4"×3/8"	12 Gross
12.	Rosin 1 3/8"×3/8" 4 Gross	5 Cwt.

N.B.—F.O.R. any Railway Station in Mysore State.

1. Quotations with firm prices will be preferred.
2. The successful tenderers should deposit a security deposit of Rs. 200 with the Superintending Engineer, Tungabhadra Valley Circle for due fulfilment of the contract within one week otherwise the order will be cancelled.
3. Sales-tax, should be quoted separately.
4. No enhancement of prices will be allowed after the acceptance of the tender.
5. The quotations will be opened at 2 P.M. on the next working day after the closeing date of enquiry.

4583a

NOTICE.

Dated 12th September 1952.

Enquiry No. 11169—*E.D. No.* 1197.

No. S.P.C. 25263-312. Sealed tenders will be received by the Secretary, Stores Purchase Committee, up to 29th October 1952, for the supply of Electrolytically pure copper Bus bars required for use in various Power Stations.

Intending tenderers may, on application to the Secretary, Stores Purchase Committee obtain the requisite tender forms on which tenders should be submitted. Applications should be accompanied by a cash remittance of Rs. 10 which is the price fixed for a set of forms and which is not refundable.

Cheques, Postal Orders and Postage stamps will not be accepted towards the cost of forms nor will the forms be sent by V.P.P.

4639b

Dated 12th September 1952.

To

The Firms dealing in Electrical Materials.

Enquiry No. 11205.

Subject :—Equipment required for the Electrical Laboratory of the Occupational Institute, Chintamani.

Gentlemen,

No. S.P.C. 25567-606. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Equipment required for the Electrical Laboratory of the Occupational Institute, Chintamani", with the above enquiry number.

This enquiry will be closed on the 10th October 1952.

SCHEDULE

Sl. No.		F.O.R., Chintamani	Quantity
1.	(A) Energy meters single phase suitable for 220V. 25 cycles Range 10 Amps.	...	6
	(B) Energy meters 3 phase 220 V. 25 cycles portable type.	...	3
	(C) Energy meters 3 phase suitable for 220 V. 25 cycles Panel type.	...	3
2.	A.C. Ammeters double range 0-5-10 Amps. (A) Portable type for 220 V. 25/50 cycles.	...	6
	(B) Same as above panel type	...	6
3.	A. C. Voltmeters double range 0-300-600 V.		
	(A) Portable type	...	3
	(B) Panel type	...	3
4.	Wattmeters double range 0-750–1500 watts.		
	(A) 50 to 10 Amps. 220 V. Portable type ...	...	3
	(B) Do do Panel type ...	...	3
5.	Megger 500 Volts	...	1
6.	Post office boxes range 1000 ohms. (A) ...	...	3
	Post office boxes range 3000 ohms. (B) ...	...	3
7.	Galvanometers for A.C./D.C. circuits moving iron type 25/50 cycles portable 0-750 V.	...	6
8.	A.C. Voltmeter single range 0-300 V. for 25/60 cycles Portable.	...	3
9.	D.C. Ammeter range 0-5 Amps. for 220 V. 25/50 cycles.		
	(A) Portable type	...	1
	(B) Panel type Do	...	1
10.	D.C. Ammeter (A) Range 0-25 Amps. Panel type (B) Portable type Range 0-25 Amps.	...	1
11.	D.C. Ammeter (A) Range 0-50 Amps. Panel Type ...	...	1
	(B) Do Portable type ...	...	1
12.	Rheostats fixed type :—		
	(A) 15 Ohms	...	2
	(B) 60 Ohms	...	2
	(C) 150 Ohms	...	2
13.	Rheostats Variable type :—		
	(A) 15 Ohms	...	2
	(B) 60 Ohms	...	2
	(C) 150 Ohms	...	2
14.	Rheostats Circular Type :—		
	(A) 20 Ohms	...	2
	(B) 150 Ohms	...	2
	(C) 200 Ohms	...	2
	(D) 800 Ohms	...	2
15.	Water Rheostats capacity 4 gallons circular made of copper sheet. 16 guage with immersion plate size 15" × 10".	...	5

N.B.—1. The quotations with firm prices will be preferred.
2. Sales-tax, if any, should be quoted separately.
3. The quotations will be opened at 2 P.M. on the next working day after the due date.

4583c

Dated 12th September 1952.

To

The Firms dealing in Chemicals, etc.

Enquiry No. 11210.

Subject :—Supply of certain Chemicals, etc., to Mysore Serum Institute.

Dear Sir/Gentlemen,

No. S.P.C. 25401-20. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Chemicals, etc., to Mysore Serum Institute" with the above enquiry number.

This enquiry will be closed on the 7th October 1952.

SCHEDULE.

Item No.	Description of materials offered	Quantity	Price quoted F.O.R.,	Time of delivery
		Lbs.		
1.	Formal Dehyde 40 per cent Sol. (I.C.I.)	95	Bangalore	Immediate delivery required.
2.	Liquid Paraffin (Evans) ...	50		
3.	Vety Nembatol Soln. ...	2		
4.	Acid Hydrocyanic (A.R. Quality).	½		
5.	Mill Cotton 10° Corded Cotton)	300		
6.	Peptone (OXO Preparation required).	88		
7.	Absolute Alcohol (90 per cent pure) to be supplied in one pound original packings.	101		
8.	Spirit Rectificatus (Spt. Rectificatus).	35		
9.	Rectified Spirit ...	3		
10.	Glycerine (Pure Tata's) ...	120		

N.B.—1. Firms who can supply from ready stocks alone should quote.
2. The materials of genuine specifications and quality should be supplied in original packings, and no imitations will be accepted.
3. The quantities mentioned above are only approximate and the supply that may be actually drawn may be even less.
4. Sales-tax if extra may be clearly specified.
5. Quotations with firm prices will be preferred.
6. No enhancement of price will be allowed after the acceptance of the tender.
7. Quotations will be opened at 2 P.M. on the next working day after the closing date of the enquiry.

4583 (d)

Dated 12th September 1952.

To

The Firms dealing in Diagnostic Cystoscope.

Enquiry No. 11213.

Subject :—Diagnostic Cystoscope.

Dear Sir/Gentlemen,

No. S.P.C. 25421-40. Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the undermentioned schedule, in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions :—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Diagnostic Cystoscope" with the above enquiry number.

This enquiry will be closed on the 29th September 1952.

SCHEDULE.

Item No.	Description of material offered	Quantity	Price quoted F.O.R.
1	Diagnostic Double Catheterising and Operating Cystoscope complete with Optics.	One	Bangalore.

N.B.—1. Full specifications of the equipment offered should accompany your quotation.
2. Whether the equipment offered is available from ready stocks may kindly be made clear and if not how soon it could be supplied.